



ARL

Analytical Resource Laboratory

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

Certificate of Analysis

Client Information

Elite Manufacturing and Packaging
277 E 1750 N
Vineyard, UT
84059 USA
801.735.3333

Sample Information


ARL ID: 371069
Date Received: 9/25/2020
Description: TL Mass Gainer Sweet Vanilla (2.80 KG)
Lot#: 20090812
Serving Size: 187 g

| Analysis | Method | MDL | Specification | Results | UOM | Lab ID |
|------------------------------------|----------------|--------|---------------|---------------|-------------|--------|
| Complete Micro Profile, HM (Rapid) | USP, AOAC, | | | | | 1 |
| Total Plate Count | USP <2021> | 100 | Record Only | None Detected | cfu's/g | 1 |
| Coliforms | AOAC 991.14 | 10 | Record Only | None Detected | cfu's/g | 1 |
| E. coli | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Staphylococcus aureus | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Salmonella | USP <2022> | Absent | Record Only | Absent | cfu's/10g | 1 |
| Yeast and Mold (Rapid) | AOAC RI | 100 | Record Only | None Detected | cfu's/g | 1 |
| Heavy Metals | ARL ICPMS 2.60 | | | | | 1 |
| Arsenic (As) | ARL ICPMS 2.60 | 0.001 | < 10 | 13.036 | mcg/Serving | 1 |
| Cadmium (Cd) | ARL ICPMS 2.60 | 0.001 | < 4.1 | 0.190 | mcg/Serving | 1 |
| Mercury (Hg) | ARL ICPMS 2.60 | 0.001 | < 10 | 0.787 | mcg/Serving | 1 |
| Lead (Pb) | ARL ICPMS 2.60 | 0.001 | < 0.5 | 2.404 | mcg/Serving | 1 |

Form# arlcoa031201a

Printed on: Oct 1, 2020 1:34 PM

experience • professionalism • value


Released by: Kara Woodbury
Oct 1, 2020
Page 1

* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.